

**IN THE CLAIMS:**

Please note that all claims currently pending and under consideration in the referenced application are shown below. This listing of claims will replace all prior versions and listings of claims in the application.

Please amend claims 19, 21 through 23 and 25 through 34 as set forth below.

**Listing of Claims:**

1-18. (Canceled)

19. (Presently Amended) A method of fabricating a multi-die assembly, comprising:  
providing a substrate including a plurality of conductors;  
attaching at least one active face-down base die to ~~said~~ the substrate in electrical communication  
with at least some of ~~said~~ the plurality of conductors;  
providing a layer of conductive epoxy adhesive to a back side of the at least one base die;  
placing a back side of at least one active face-up stack die on the layer of conductive epoxy  
adhesive;  
curing the layer of conductive epoxy adhesive and securing the back side of at least one stack die  
to ~~said~~ the at least one base die;  
providing a direct electrical path between ~~said~~ the at least one stack die and at least one of ~~said~~  
the plurality of conductors; and  
electrically grounding ~~said~~ the at least one base die via ~~said~~ the layer of electrically conductive  
epoxy adhesive and ~~said~~ the at least one stack die.

20. (Canceled)

21. (Presently Amended) The method of claim 19, further comprising:  
securing at least one discrete component to at least one of ~~said~~ the at least one stack die, ~~said~~ the  
at least one base die, and ~~said~~ the substrate;

electrically connecting ~~said~~ the at least one discrete component to at least one of ~~said stack die~~,  
~~said~~ the base die[,]] and ~~said~~ the substrate; and  
extending a die-to-component bond wire between ~~said~~ the at least one stack die and ~~said~~ the at  
least one discrete component.

22. (Presently Amended) The method of claim 21, further comprising:  
extending a component-to-substrate bond wire between ~~said~~ the at least one discrete component  
and at least one of ~~said~~ the plurality of substrate conductors.

23. (Presently Amended) The method of claim 19, further comprising:  
securing at least another stack die to ~~said~~ the assembly; and  
electrically connecting ~~said~~ the at least another stack die and at least one of ~~said~~ the plurality of  
substrate conductors.

24. (Canceled)

25. (Presently Amended) The method of claim 23, further comprising securing ~~said~~  
the at least another stack die to ~~said~~ the at least one stack die.

26. (Presently Amended) The method of claim 25, further comprising:  
securing at least one discrete component to ~~said~~ the at least one stack die; and  
extending a die-to-component bond wire between ~~said~~ the at least another stack die and ~~said~~ the  
at least one discrete component.

27. (Presently Amended) The method of claim 25, further comprising:  
securing at least one discrete component to ~~said~~ the at least one stack die; and  
extending a component-to-substrate bond wire between ~~said~~ the at least one discrete component  
and at least one of ~~said~~ the plurality of substrate conductors.

28. (Presently Amended) The method of claim 25, further comprising:  
securing at least one discrete component to ~~said~~ the at least one base die; and  
extending a die-to-component bond wire between ~~said~~ the at least another stack die and ~~said~~ the  
at least one discrete component.

29. (Presently Amended) The method of claim 25, further comprising:  
securing at least one discrete component to ~~said~~ the at least one base die; and  
extending a component-to-substrate bond wire between ~~said~~ the at least one discrete component  
and at least one of ~~said~~ the plurality of substrate conductors.

30. (Presently Amended) The method of claim 19, wherein the attaching at least one  
active face-down base die includes attaching at least two active face-down base die to ~~said~~ the  
substrate and electrically coupling each of ~~said~~ the at least two base die with at least one of ~~said~~  
the plurality of substrate conductors.

31. (Presently Amended) The method of claim 30, further comprising bridging ~~said~~  
the at least one stack die between ~~said~~ the at least two base die.

32. (Presently Amended) The method of claim 31, further comprising securing at  
least another stack die over ~~said~~ the at least one stack die.

33. (Presently Amended) The method of claim 19, further comprising:  
securing at least one discrete component to ~~said~~ the substrate; and  
extending a die-to-component bond wire between ~~said~~ the at least one stack die and ~~said~~ the at  
least one discrete component.

34. (Presently Amended) The method of claim 33, further comprising extending a  
die-to-component bond wire between ~~said~~ the at least one discrete component and at least one of  
~~said~~ the plurality of substrate conductors.